

Email: SUPPORT@THEWELLTHEORY.COM

www.thewelltheory.com

CERTIFICATE of ANALYSIS

PRODUCT NAME: Full Spectrum CBD Multivitamin 120Caps
PRODUCT LOT: 910014F
MANUFACTURE DATE: October 2019
EXPIRATION DATE: N/A
ORIGIN: United States

<u>ANALYTICAL</u>	<u>METHOD</u>	<u>SPECIFICATIONS</u>	<u>RESULTS</u>
Total CBD %	Cannabinoids AF	3-6%	3.39%
Total THC %	Cannabinoids AF	<0.3%	0.13%

<u>PRODUCT PROFILE</u>		<i>Reference:</i>	<i>Test Book</i>	18	<i>Page</i>	131
Color	Organoleptic		off white			conforms
Capsule weight range	Organoleptic		754-807mg			conforms, up to 3-5% additional (for capsule fill)
capsule type	Organoleptic		veggie			conforms
Ext Material	Organoleptic		<1%			<1%

<u>HEAVY METALS</u>							
Arsenic	KSC-841 (ICP-MS)	NMT	10	ug/d		0.58	ug/d
Cadmium	KSC-841 (ICP-MS)	NMT	4.1	ug/d		0.19	ug/d
Lead	KSC-841 (ICP-MS)	NMT	0.5	ug/d		0.41	ug/d
Mercury	KSC-841 (ICP-MS)	NMT	0.3	ug/d		0.09	ug/d

<u>MICROBIOLOGICAL</u>		<i>Reference:</i>	<i>t Book</i>	6	<i>Page</i>	321
Coliform	AOAC 991.14	NMT	1,000	CFU/g	<	10 CFU/g
Aerobic Plate Count	AOAC 990.12	NMT	100,000	CFU/g	<	100 CFU/g
<i>E. coli</i>	AOAC 991.14		ND	CFU/g		ND CFU/g
<i>Staphylococcus aureus</i>	FDA/BAM 8TH ED		ND	CFU/g		ND CFU/g
<i>Salmonella</i>	AOAC-RI 080601		NEG	per 10g		NEG per 10g
Yeast	AOAC 2014.05	NMT	10,000	CFU/g	<	100 CFU/g
Mold	AOAC 2014.05	NMT		CFU/g	<	100 CFU/g

ND = Not Detected

NEG = Negative

Quality Control Department

This information is presented in good faith and was compiled through testing methods with the assistance of our suppliers, harvesters, and processors information. We confirm the identity with our in-house testing and laboratory outsourcing. The data in this analysis is offered solely for your verification and consideration.